


**GTV**



**GTV**

**INVESTMENT LIGHTING**





LD-TIG34W60-NB



### Advantages of our luminaire:

- High luminous efficiency 140lm/W
- Low operating temperature of diodes (EPISTARLED CHIPS)
- Permissible ambient temperature from +5°C do +30°C
- Power factor PF>0,9
- High color rendering index Ra (CRI) > 80
- International protection rating IP40
- High classification of mechanical strength IK08
- Includes handles for hanging on ropes
- Special PMMA lens which cause no dazzle - UGR<16
- Angle of lens lighting 75°
- Power supply built into the luminaire - CE, TUV
- Flicker-free - no flickering effect
- Photometric files
- DEKRA certificate
- Unique, modern design
- 3-year warranty



EPISTAR LED  
CHIP

# LED fitting – TIGER



LD-TIG34W60-NB	34 W	4800 lm	2850 g	5902801205453
----------------	------	---------	--------	---------------



**GTV**

W skład oprawy wchodzi wbudowane lampy LED.

Nie można wymieniać lamp w oprawie.

874/2012

## LED fitting – TIGER - dimensions




# LED fitting – TIGER



Angle of lens lighting 75°  
Lens - PMMA

AC220-240V, 50-60Hz  
PF>0,9  
Flicker free



IP40, IK08


140lm/W  
EPISTAR LED CHIPS  
34W – 4800lm

4000K

Material:  
Metal



CRI ≥ 80





GTV



Thank you for  
your attention!