

Features



- SPLIT – indoor and outdoor units
- WIFI module internal
- Refrigerent R32
- High efficiency A++ (cooling), A+ (heating)
- Inverter control
- Remote control
- Safe anti-fire construction
- Self-cleaning
- 6-fan speed
- Parents control
- ECO mode
- Easy washable filter
- 3D AIR FLOW



Photo



Mobile App (free for android and ios):



Specification:


MODEL	GAMMA 09K WIFI
CAPACITY:	9000 BTU/h
REFRIGERENT:	R32
Charge:	0,57kg
Equivalent CO ₂	0,385t
EFFICIENCY:	SEER: 6,3 SCOP: 4,0
AIR FLOW (indoor.):	420m ³ /h
DECLARED CAPACITY:	Cooling: 2600W Heating: 26100W
CAPACITY RANGE:	Cooling: 940...3300W Heating: 940...3360W
MAX. PRESSURE:	Discharge: 3,7MPa Suction: 1,2Mpa
SOUND PRESSURE*	indoor: 22/25/33/37/40dB(A) outdoor: max 50dB(A)
AMBIENT TEMPERATURE RANGE	Outdoor: Cooling -15-53°C Heating -20-30°C
	Indoor: Cooling 17-32°C Heating 0-30°C
SUPPLY:	
POWER INPUT:	Cooling: 1,04kW Heating: 1,02kW
CURRENT:	Cooling: 4,6A Heating: 4,1A
CONNECTING PIPES	Gas: 3/8"
	Liquid: 1/4"
INDOOR UNIT DIMENSION	698 x 255 x 190mm
OUTDOOR UNIT DIMENSION	777 x 498 x 290mm
WEIGHT	Indoor: 6,5kg
	Outdoor: 24kg

*depend on rotating speed (mute / low / middle / high / super high)

Dimmensions:

	A	B	C	D	E	F
GAMMA 09K WIFI	698mm	190mm	255mm	777mm	498mm	290mm

Technical drawing



Efficiency label

